Common intestinal parasites of the dog and cat

Joe Gordon, DVM
Raleigh, NC
Care First Animal Hospital

Objectives

- Identify adult life stage of common parasites
- Identify microscopic ova
- Understand treatment options
- Steps to control and prevent infection

Common intestinal worms of the dog and cat



Fecal floatation

https://youtu.be/GbO5NW0w99Y

Roundworm – Toxocara sp.



Star War inspiration Roundworm selfie



Roundworm ova

Classic

Embryonated






Ocular larval migrans

Close up on human eye

Loss of vision






Roundworm treatments

- Pyrantal pamoate: Strongid, Nemex.....
- Fenbendazole: Panacur, Prosense.....
- Albendazole
- Ivermectin: Ivomec, Normectin....
- Drontal Plus
- Most monthly heartworm preventatives

Treat on a two week cycle

Whipworm Trichuris sp



Relative size of whipworms



Whipworm ova


Classic



Embryonated



Whipworm life cycle



Whipworm treatments

- Fenbendazole: Panacur, Prosense
- Drontal plus
- Ivermectin
- Milbemycin heartworm preventatives: Interceptor, Sentinel

Treat on a three week cycle

Hookworms Ancylostoma sp., Uncinaria sp.

Adult worms in intesting

Selfie






Hookworm ova


Classic

Embryonated





Hookworm lifecycle



Cutaneous larval migrans



Hookworm treatment

- Pyrantal pamoate
- Fenbendazole
- Albendazole
- Ivermectin
- Most monthly heartworm preventatives

Treat on a two week cycle


Tapeworms

• Dipylidium sp.

Taenia sp.


• Echinococcus sp.

Dipylidium sp. The flea tapeworm




Dipylidium segments


egg





Dipylidium segment diagram Close up





Most common way to diagnose tapeworms


Single mobile segment

Grains of rice






Dipylidium life cycle



Taenia sp.




Taenia segment



Taenia egg



Taenia life cycle




Echinococcus sp.



Echinococcus egg



Echinococcus life cycle



Tapeworm treatment

- Praziquantel all species: Droncit, Drontal,
- Fenbendazole and albendazole: Taenia sp.
- Some monthly heartworm preventatives: Iverhart max, Interceptor plus

- Treat on a two week cycle
- Flea control for Dipylidium sp.

How to control intestinal parasites

- Appropriate de worming with diagnosis
- Utilize broad spectrum monthly treatments to decrease ongoing worm burden
- Avoid stool contamination of food and water
- Do not feed offal or undercooked meat
- Flea control
- House dogs, teach to pass stool in specific location, keep stool picked up
- Prevent dead livestock carcass ingestion
- Control small rodents